ELSEVIER

Ultrasonics 35 (1998) 613–618

Ultrasonics

Author Index to Ultrasonics Volume 35 and Ultrasonics–Sonochemistry Volume 4*

Acevedo, P., see Moreno, E. 581
Achenbach, J.D., see Guo, Z. 423
Akkermans, R.P., see Compton, R.G. S223
Akker, S. and Arman, J.
Ultrasonic investigation on plane interfaces between polymers 287
Arman, J., see Akker, S. 287
Atobe, M. and Nonaka, T.
Ultrasonic effects on electroorganic processesPart 6. Formation of cupric carboxylates at a reactive copper anode in carboxylic acid solutions S17

Bartók, M., see Török, B. S301
Bashford, A.G., see Schindel, D.W. 275
Bauckhage, K., see Fritsching, U. 151
Beck, M.S., see Schlaberg, H.I. 213
Berryman, T., see Price, G.J. S165
Bettayeb, M., see Yamani, A. 525
Bianchi, C.L., Gotti, E., Toscano, L. and Ragaini, V.
Preparation of Pd/C catalysts via ultrasound: a study of the metal distribution S317
Billson, D.R., Hutchins, D.A., Mair, H.D. and Moles, M.D.C.
Ultrasonic evaluation of hydride concentration in zirconium–niobium alloys 241
Birkin, P.R. and Silva-Martinez, S.
A study on the effect of ultrasound on electrochemical phenomena S121
Bonello, B., Perrin, B., Romatet, E. and Jeannet, J.C.
Application of the picosecond ultrasonic technique to the study of elastic and time-resolved thermal properties of materials 223
Booth, D.J., see Mitra, B. 569
Booth, J., Compton, R.G., Hill, E., Marken, F. and Rebbitt, T.O.
A novel approach for the quantitative kinetic study of reactions at solid/liquid interfaces in the presence of power ultrasound S1
Bradford, A.S., see Schneider, D. 345
Bradford, A.S., see Schneider, D. 345
Brett, A.M.O. and Matysik, F.-M.
Sonoelectrochemical determination of nucleosides and nucleotides S125
Brett, A.M.O., Brett, C.M.A., Matysik, F.-M. and Matysik, S.
Sonoelectrochemical analysis of trace metals S123
Brett, C.M.A., see Brett, A.M.O. S123
Bucalon, A.J., see Domingos, R.N. S321
Burk, R.C., see Kruus, P. S229

Cao, B., see Jen, C.-K. 335
Casamatta, G., see Romdhane, M. S235
Cawley, P., see Drinkwater, B. 479
Cawley, P., see Monkhouse, R.S.C. 489
Certon, D., see Tran-Huu-Hue, L.P. 317
Chapelle, F., see Jung, C.G. S117
Cheng, X., see Wang, Z.B. S181
Chimenti, D.E., see Zhang, H. 441
Ciguang, B., see Ruo, F. S183
Ciuti, P., see Iernetti, G. S263
Coles, B.A., see Compton, R.G. S223
Compton, R.G., Akkermans, R.P., Coles, B.A. and Marken, F.
Ultrasound in photoelectrochemistry: a new approach to the enhancement of the efficiency of semiconductor electrode processes S223
Compton, R.G., see Booth, J. S1
Conoir, J.-M., Izbicki, J.-L. and Lenoir, O.
Phase gradient method applied to scattering by an elastic shell 157
Contamine, F., see Romdhane, M. S235
Coste, J-F.
Approximate dispersion formulae for Rayleigh-like waves in a layered medium 431
Coulouvrat, F., see Lenoir, O. 509
Culshaw, B., see Pierce, S.G. 105

Dahlem, O., see Dekerckheer, C. S205
de Korte, C.L., van der Steen, A.F.W., Dijkman, B.H.J. and Lancée, C.T.
Performance of time delay estimation methods for small time shifts in ultrasonic signals 263
De Visscher, A., Van Langenhove, H. and Van Eenoo, P.
Sonochemical degradation of ethylbenzene in aqueous solution: a product study S145
Dekerckheer, C., Dahlem, O. and Reisse, J.
On the frequency and isotope effect in sonochemistry S205
Delmas, H., see Sochard, S. S77
Delsanto, P.P., see Huber, R.D. 7
Deng, J., see Wang, L. 125
Desmet, C., see Mourad, A. 393
Dewhurst, R.J., see Schneider, D. 345
Dewhurst, R.J., see Schneider, D. 345
Dezhkunov, N.V., see Iernetti, G. S263
Digby, M., see Price, G.J. S165
Dijkman, B.H.J., see de Korte, C.L. 263
Dimitrijević, B., see Pavlović, V. 87
Diodati, P., Giannini, G., Mirri, L., Petrillo, C. and Sacchetti, F.
Sonochemical production of a non-crystalline phase of palladium S45
Domingos, R.N., Vollet, D.R. and Bucalon, A.J.
Structural changes induced by ultrasound during aging of the boehmite phase S321
Donovalová, J., see Gáplovský, A. S109

* Ultrasonics–Sonochemistry page numbers start with 'S'.

Drinkwater, B. and Cawley, P.
Measurement of the frequency dependence of the ultrasonic reflection coefficient from thin interface layers and partially contacting interfaces 479
Du, Y.H., see Wang, Z.B. S181
Duck, F.A., see Price, G.J. S165
Ebringerová, A. and Hromádková, Z.
The effect of ultrasound on the structure and properties of the water-soluble corn hull heteroxylan S305
Ebringerová, A., Hromádková, Z., Hríbalová, V. and Mason, T.J.
Effect of ultrasound on the immunogenic corn cob xylan S311
Entezari, M.H., Kruus, P. and Otson, R.
The effect of frequency on sonochemical reactions III: dissociation of carbon disulfide S49
Entezari, M.H., see Kruus, P. S229

Fahr, A., see Schindel, D.W. 1
Fang, Q., see Yan, Z. 533
Fang, Q., see Yan, Z. 543
Farlow, R., see Pierce, S.G. 105
Feke, D.L., see Gupta, S. 131
Felföldi, K., see Török, B. S301
Feng, R., see Wang, Z.B. S181
Ferrari, J., see Núñez, I. 595
Filip, P.I., see Vinatoru, M. S135
Fitch, R.W. and Luzzio, F.A.
Ultrasound in natural products synthesis: applications to the synthesis of histrionicotoxin via nitroalkanal acetals S99
Flaxman, R., see Leighton, T.G. 399
Fontana, A., see Jung, C.G. S117
Forsyth, D.S., see Schindel, D.W. 1
Francescutto, A., see Iernetti, G. S263
Francony, A., see Pétrier, C. S295
Fritsching, U. and Bauckhage, K.
Ultrasonic field characteristics in resonant standing waves 151
Fujii, S., see Tatsumoto, N. S9

Gáplovský, A., Donovalová, J., Toma, S. and Kubinec, R.
Ultrasound effects on photochemical reactions, Part 1: photochemical reactions of ketones with alkenes S109
Gadri, A., see Romdhane, M. S235
Gavrilov, L.R. and Hand, J.W.
Development and investigation of ultrasound linear phased arrays for transrectal treatment of prostate S173
Ghosh, T., Maslov, K.I. and Kundu, T.
A new method for measuring surface acoustic wave speeds by acoustic microscopes and its application in characterizing laterally inhomogeneous materials 357
Ghosh, T., see Kundu, T. 573
Ghosh, T., see Yamani, A. 251
Ghouti, L., see Yamani, A. 525
Giannini, G., see Diodati, P. S45
Golubović, L., see Pavlović, V. 87
Gotti, E., see Bianchi, C.L. S317
Gourdon, C., see Romdhane, M. S235
Grabec, I., see Susič, E. 547
Grill, W., see Kojro, Z. 563
Gu, M.L., see Wang, Z.B. S181
Gudra, T., see Kojro, Z. 563
Guo, Z., Achenbach, J.D. and Krishnaswamy, S.
EMAT generation and laser detection of single lamb wave modes 423
Gupta, R.B., see Seymour, J.D. S289
Gupta, S. and Feke, D.L.
Acoustically driven collection of suspended particles within porous media 131
Gustafsson, M.G. and Stepinski, T.
Studies of split spectrum processing, optimal detection, and maximum likelihood amplitude estimation using a simple clutter model 31
Han, B.H., see Yim, E.S. S95
Han, J.-B., see Hong, S.-K. 329
Hand, J.W., see Gavrilov, L.R. S173
Harris, N.R., Hill, M. and Turner, J.D.
Practical aspects of modal propagation through water filled pipes 73
Harvey, B.F., see Whillock, G.O.H. S23
Harvey, B.F., see Whillock, G.O.H. S33
Hatiris, J.G., see Stephanis, C.G. S269
He, Z.C., see Wang, Z.B. S181
He, B., see Yan, Z. 533
He, B., see Yan, Z. 543
Heusinger, H., see Portenlänger, G. S127
Hietanen, J., see Niederdränk, T. 195
Hietanen, J., see Oksanen, M. 205
Hill, E., see Booth, J. S1
Hill, M., see Harris, N.R. 73
Hirao, M. and Ogi, H.
Electromagnetic acoustic resonance and materials characterization 413
Ho, W.L., see Leighton, T.G. 399
Hodnett, M. and Zeqiri, B.
A strategy for the development and standardisation of measurement methods for high power/cavitating ultrasonic fields: review of high power field measurement techniques S273
Holland, W., see Price, G.J. S165
Hong, S.-K. and Han, J.-B.
Considerations on speckle pattern interferometry of ultrasonic speckles 329
Hoyle, B.S., see Schlaberg, H.I. 213
Hríbalová, V., see Ebringerová, A. S311
Hromádková, Z., see Ebringerová, A. S305
Hromádková, Z., see Ebringerová, A. S311
Huang, J., see Yan, Z. 533
Huang, J., see Yan, Z. 543
Huber, R.D., Mignogna, R.B., Simmonds, K.E., Schechter, R.S. and Delsanto, P.P.
Dynamic full-field visualization of ultrasound interacting with material defects: experiment and simulation 7
Hu, J., Nakamura, K. and Ueha, S.
An analysis of a noncontact ultrasonic motor with an ultrasonically levitated rotor 459
Hutchins, D.A., see Billson, D.R. 241
Hutchins, D.A., see Schindel, D.W. 1
Hutchins, D.A., see Schindel, D.W. 275
Hutt, K.R., see Newman, A.P. S153

Iernetti, G., Ciuti, P., Dezhkunov, N.V., Reali, M., Francescutto, A. and Johri, G.K.
Enhancement of high-frequency acoustic cavitation effects by a low-frequency stimulation S263
Izbicki, J.-L., see Conoir, J.-M. 157
Izbicki, J-L., see Lenoir, O. 509

Jarzynski, J., see Sanderson, T. 115
Jarzynski, J., see Sanderson, T. 553
Jeannet, J.C., see Bonello, B. 223

Jen, C.-K., Cao, B., Nguyen, K.T., Loong, C.A. and Legoux,J.-G.
On-line ultrasonic monitoring of a die-casting process using buffer rods 335
Johri, G.K., see Iernetti, G. S263
Jung, C.G., Chapelle, F. and Fontana, A.
Influence of ultrasound on the kinetic parameters of electrochemical redox reactions S117
Kawabata, K.-i. and Umemura, S.-i.
Xanthene dyes for reducing acoustic cavitation threshold in aqueous solution 469
Kawano, N., see Tatsumoto, N. S9
Kažys, R. and Svilainis, L.
Ultrasonic detection and characterization of delaminations in thin composite plates using signal processing techniques 367
Kilpeläinen, M., see Mäntysalo, E. S141
Kim, T.J., see Kojro, Z. 563
Koch, C., Ludwig, G. and Molkenstruck, W.
Calibration of an interferometric fiber tip sensor for ultrasound detection 297
Kojro, Z., Kim, T.J., Lippold, G., Gudra, T. and Grill, W.
Distance resolution of the scanning acoustic air microscope 563
Kozhemyakin, G.N.
Influence of ultrasonic vibrations on the growth of semiconductor single crystals 599
Kratzik, C., see Madersbacher, S. S175
Krishnaswamy, S., see Guo, Z. 423
Kruus, P., Burk, R.C., Entezari, M.H. and Otson, R.
Sonication of aqueous solutions of chlorobenzene S229
Kruus, P., see Entezari, M.H. S49
Kubinec, R., see Gáplovský, A. S109
Kumar, A., Kumar, B. and Kumar, Y.
A novel method to determine the acoustic impedance of membrane material 53
Kumar, B., see Kumar, A. 53
Kumar, Y., see Kumar, A. 53
Kundu, T., Maji, A., Ghosh, T. and Maslov, K.
Detection of kissing bonds by Lamb waves 573
Kundu, T., see Ghosh, T. 357
Kundu, T., see Maslov, K. 141
Kundu, T., see Yamani, A. 251
Kwiek, P., Molkenstruck, W. and Reibold, R.
Optical mapping of ultrasonic fields in the intermediate range between weak and strong acousto-optical interaction 499
Kwiek, P., see Reibold, R. 187

Lancée, C.T., see de Korte, C.L. 263
Lauterborn, W. and Ohl, C.-D.
Cavitation bubble dynamics S65
Lazurca, D., see Vinatoru, M. S135
Lecuyer, F., see Pierce, S.G. 105
Legoux, J.-G., see Jen, C.-K. 335
Leighton, T.G., Ho, W.L. and Flaxman, R.
Sonoluminescence from the unstable collapse of a conical bubble 399
Lemmin, U., see Shen, C. 57
Lenn, C., see Schlaberg, H.I. 213
Lenoir, O., Izbicki, J-L., Rousseau, M. and Coulouvrat, F.
Subwavelength ultrasonic measurement of a very thin fluid layer thickness in a trilayer 509
Lenoir, O., see Conoir, J.-M. 157
Lethiecq, M., see Tran-Huu-Hue, L.P. 317
Levassort, F., see Tran-Huu-Hue, L.P. 317
Li, H., Li, Y. and Li, Z.
The heating phenomenon produced by an ultrasonic fountain S217
Lin, Z., see Yan, Z. 533
Lin, Z., see Yan, Z. 543
Lippold, G., see Kojro, Z. 563
Liu, YuG., see Wang, Z.B. S181
Liu, C., see Wang, Z.B. S181
Liu, Z., Lu, M. and Wei, M.
Structure noise reduction of ultrasonic signals using artificial neural network adaptive filtering 325
Li, Y., see Li, H. S217
Li, Z., see Li, H. S217
Loong, C.A., see Jen, C.-K. 335
Lorimer, J.P., see Newman, A.P. S153
Lorimer, J.P., see Phull, S.S. S157
Luche, J.L.
A few questions on the sonochemistry of solutions S211
Ludwig, G., see Koch, C. 297
Lu, M., see Liu, Z. 325
Luzzio, F.A., see Fitch, R.W. S99

MacIntyre, F.
Some comments on the thermodynamics of sonoluminescence – a personal view S85
Madersbacher, S., Kratzik, C. and Marberger, M.
Prostatic tissue ablation by transrectal high intensity focused ultrasound: histological impact and clinical application S175
Madic, C., see Venault, L. S195
Mäntysalo, E., Marjoniemi, M. and Kilpeläinen, M.
Chrome tannage using high-intensity ultrasonic field S141
Mair, H.D., see Billson, D.R. 241
Maji, A., see Kundu, T. 573
Maji, A., see Yamani, A. 251
Maksimov, A.O.
On the subharmonic emission of gas bubbles under two-frequency excitation 79
Marberger, M., see Madersbacher, S. S175
Marjoniemi, M., see Mäntysalo, E. S141
Marken, F., see Booth, J. S1
Marken, F., see Compton, R.G. S223
Martin, L.P. and Rosen, M.
Analysis of ultrasonic velocity measurements on sintering zinc oxide 65
Maslov, K.I., see Ghosh, T. 357
Maslov, K. and Kundu, T.
Selection of Lamb modes for detecting internal defects in composite laminates 141
Maslov, K., see Kundu, T. 573
Maslov, K., see Yamani, A. 251
Mason, T.J., see Ebringerová, A. S311
Mason, T.J., see Newman, A.P. S153
Mason, T.J., see Phull, S.S. S157
Mason, T.J., see Sališová, M. S131
Mason, T.J., see Vinatoru, M. S135
Matula, T.J. and Roy, R.A.
Comparisons of sonoluminescence from single-bubbles and cavitation fields: bridging the gap S61
Matysik, F.-M., see Brett, A.M.O. S123
Matysik, F.-M., see Brett, A.M.O. S125
Matysik, S., see Brett, A.M.O. S123
Mignogna, R.B., see Huber, R.D. 7
Mirri, L., see Diodati, P. S45
Mitra, B. and Booth, D.J.
Remote cure monitoring of epoxy materials using optical techniques 569
Moisy, P., see Venault, L. S195
Moles, M.D.C., see Billson, D.R. 241
Molkenstruck, W., see Koch, C. 297
Molkenstruck, W., see Kwiek, P. 499
Monkhouse, R.S.C., Wilcox, P.D. and Cawley, P.

Flexible interdigital PVDF transducers for the generation of Lamb waves in structures 489
Moreno, E. and Acevedo, P.
Thickness measurement in composite materials using Lamb waves 581
Mourad, A., Desmet, C. and Thoen, J.
On the polarity of laser-generated Rayleigh waves 393
Mourmouras, D.E., see Stephanis, C.G. S269
Mužič, P., see Susič, E. 547
Nakamura, K., see Hu, J. 459
Negreira, C., see Núñez, I. 595
Newman, A.P., Lorimer, J.P., Mason, T.J. and Hutt, K.R.
An investigation into the ultrasonic treatment of polluted solids S153
Newman, A.P., see Phull, S.S. S157
Nguyen, K.T., see Jen, C.-K. 335
Niederdränk, T., see Oksanen, M. 205
Niederdränk, T.
Experimental investigations of the acoustic backscattering of a single cavitation bubble 517
Niederdränk, T.
Maximum length sequences in non-destructive material testing: application of piezoelectric transducers and effects of time variances 195
Nikitenko, S.I., see Venault, L. S195
Nikitina, N.Y. and Ostrovsky, L.A.
An ultrasonic method for measuring stresses in engineering materials 605
Nonaka, T., see Atobe, M. S17
Núñez, I., Negreira, C. and Ferrari, J.
Acoustic field imaging by light reflection at the free surface of a liquid 595

Ogi, H., see Hirao, M. 413
Ohl, C.-D., see Lauterborn, W. S65
Oksanen, M., see Niederdränk, T. 195
Oksanen, M., Varis, J., Hietanen, J. and Wu, J.
Quantitative theory for V-groove capacitive transmitting transducers 205
Ostrovsky, L.A., see Nikitina, N.Y. 605
Otson, R., see Entezari, M.H. S49
Otson, R., see Kruus, P. S229

Pandit, A.B., see Shirgaonkar, I.Z. S245
Park, M.K., see Yim, E.S. S95
Patat, F., see Tran-Huu-Hue, L.P. 317
Pavlović, V., Dimitrijević, B., Stojčev, M., Golubović, L., Živković, M. and Stamenković, L.
Realization of the ultrasonic liquid flowmeter based on the pulse-phase method 87
Pétrier, C. and Francony, A.
Ultrasonic waste-water treatment: incidence of ultrasonic frequency on the rate of phenol and carbon tetrachloride degradation S295
Perrin, B., see Bonello, B. 223
Peterson, M.
A method for increased accuracy of the measurement of relative phase velocity 17
Petrillo, C., see Diodati, P. S45
Philp, W.R., see Pierce, S.G. 105
Phull, S.S., Newman, A.P., Lorimer, J.P., Pollet, B. and Mason, T.J.
The development and evaluation of ultrasound in the biocidal treatment of water S157
Pierce, S.G., Culshaw, B., Philp, W.R., Lecuyer, F. and Farlow, R.
Broadband Lamb wave measurements in aluminium and carbon/glass fibre reinforced composite materials using non-contacting laser generation and detection 105
Pollet, B., see Phull, S.S. S157
Portenlänger, G. and Heusinger, H.
The influence of frequency on the mechanical and radical effects for the ultrasonic degradation of dextranes S127
Price, G.J., Duck, F.A., Digby, M., Holland, W. and Berryman, T.
Measurement of radical production as a result of cavitation in medical ultrasound fields S165
Radu, O., see Vinatoru, M. S135
Ragaini, V., see Bianchi, C.L. S317
Reali, M., see Iernetti, G. S263
Rebbitt, T.O., see Booth, J. S1
Reibold, R. and Kwiek, P.
Uncertainty considerations of ultrasonic field mapping by light-diffraction tomography 187
Reibold, R., see Kwiek, P. 499
Reisse, J., see Dekerckheer, C. S205
Romatet, E., see Bonello, B. 223
Romdhane, M., Gadri, A., Contamine, F., Gourdon, C. and Casamatta, G.
Experimental study of the ultrasound attenuation in chemical reactors S235
Rosen, M., see Martin, L.P. 65
Rousseau, M., see Lenoir, O. 509
Roy, R.A., see Matula, T.J. S61
Ruo, F., Yiyun, Z. and Ciguang, B.
Sonochemistry in China S183

Sacchetti, F., see Diodati, P. S45
Sakakibara, M., see Wang, D. S255
Sališová, M., Toma, S. and Mason, T.J.
Comparison of conventional and ultrasonically assisted extractions of pharmaceutically active compounds from *Salvia officinalis* S131
Sanderson, T., Ume, C. and Jarzynski, J.
Laser generated ultrasound: a thermoelastic analysis of the source 115
Sanderson, T., Ume, C. and Jarzynski, J.
Longitudinal wave generation in laser ultrasonics 553
Schechter, R.S., see Huber, R.D. 7
Schindel, D.W., Bashford, A.G. and Hutchins, D.A.
Focussing of ultrasonic waves in air using a micromachined Fresnel zone-plate 275
Schindel, D.W., Forsyth, D.S., Hutchins, D.A. and Fahr, A.
Air-coupled ultrasonic NDE of bonded aluminum lap joints 1
Schindel, D.W.
Air-coupled generation and detection of ultrasonic bulk waves in metals using micromachined capacitance transducers 179
Schindel, D.W.
Ultrasonic imaging of solid surfaces using a focussed air-coupled capacitance transducer 587
Schlaberg, H.I., Yang, M., Hoyle, B.S., Beck, M.S. and Lenn, C.
Wide-angle transducers for real-time ultrasonic process tomography imaging applications 213
Schneider, D., Schwarz, T., Bradford, A.S., Shan, Q. and Dewhurst, R.J.
Controlling the quality of thin films by surface acoustic waves 345
Schneider, D., Schwarz, T., Bradford, A.S., Shan, Q. and Dewhurst, R.J.

Controlling the quality of thin films by surface acoustic waves 345
Schwarz, T., see Schneider, D. 345
Schwarz, T., see Schneider, D. 345
Segal, Y., see Singher, L. 385
Seymour, J.D., Wallace, H.C. and Gupta, R.B.
Sonochemical reactions at 640 kHz using an efficient reactor. Oxidation of potassium iodide S289
Shamir, J., see Singher, L. 385
Shan, Q., see Schneider, D. 345
Shan, Q., see Schneider, D. 345
Shen, C. and Lemmin, U.
Ultrasonic scattering in highly turbulent clear water flow 57
Shen, J., see Wang, L. 125
Shen, J., see Wang, L. 451
Shen, J., see Zhang, P. 233
Shirgaonkar, I.Z. and Pandit, A.B.
Degradation of aqueous solution of potassium iodide and sodium cyanide in the presence of carbon tetrachloride S245
Silva-Martinez, S., see Birkin, P.R. S121
Simmonds, K.E., see Huber, R.D. 7
Singher, L., Segal, Y. and Shamir, J.
Interaction of a guided wave with a nonuniform adhesion bond 385
Singher, L.
Bond strength measurement by ultrasonic guided waves 305
Sochard, S., Wilhelm, A.M. and Delmas, H.
Modelling of free radicals production in a collapsing gas–vapour bubble S77
Stamenković, L., see Pavlović, V. 87
Stephanis, C.G., Hatiris, J.G. and Mourmouras, D.E.
The process (mechanism) of erosion of soluble brittle materials caused by cavitation S269
Stepinski, T., see Gustafsson, M.G. 31
Stojčev, M., see Pavlović, V. 87
Susič, E., Mužič, P. and Grabec, I.
Description of ground surfaces based upon AE analysis by a neural network 547
Svilainis, L., see Kažys, R. 367
Szakonyi, G., see Török, B. S301

Tatsumoto, N., Fujii, S. and Kawano, N.
The effect of ultrasonic waves on the oxidation current of chlorpromazine in the 38 and 96kHz-ultrasonic vibrating electrode voltammetry S9
Thoen, J., see Mourad, A. 393
Thuraisingham, R.A.
New expressions of acoustic cross-sections of a single bubble in the monopole bubble theory 407
Török, B., Felföldi, K., Szakonyi, G. and Bartók, M.
Sonochemical enantioselective hydrogenation of ethyl pyruvateover platinum catalysts S301
Toma, M., see Vinatoru, M. S135
Toma, S., see Gáplovský, A. S109
Toma, S., see Sališová, M. S131
Toscano, L., see Bianchi, C.L. S317
Tran-Huu-Hue, L.P., Levassort, F., Lethiecq, M., Certon, D. and Patat, F.
Characterization of the piezoelectric and dielectric relaxation parameters of 0-3 composites and PVDF materials in thickness mode 317
Tumeo, M.A., see Wheat, P.E. S55
Turner, J.D., see Harris, N.R. 73
Tuulmets, A.
Ultrasound and polar homogeneous reactions S189

Ueha, S., see Hu, J. 459
Ume, C., see Sanderson, T. 115
Ume, C., see Sanderson, T. 553
Umemura, S.-i., see Kawabata, K.-i. 469

van der Steen, A.F.W., see de Korte, C.L. 263
Van Eenoo, P., see De Visscher, A. S145
Van Langenhove, H., see De Visscher, A. S145
Varis, J., see Niederdränk, T. 195
Varis, J., see Oksanen, M. 205
Venault, L., Moisy, P., Nikitenko, S.I. and Madic, C.
Kinetics of nitrous acid formation in nitric acid solutions under the effect of power ultrasound S195
Vinatoru, M., Toma, M., Radu, O., Filip, P.I., Lazurca, D. and Mason, T.J.
The use of ultrasound for the extraction of bioactive principles from plant materials S135
Vollet, D.R., see Domingos, R.N. S321

Walker, R.
Ultrasound improves electrolytic recovery of metals S39
Wallace, H.C., see Seymour, J.D. S289
Wang, Z.B., Wu, F., Wang, Z.L., Zhang, Z., Zou, J.Z., Liu, C., Liu, YuG., Cheng, X., Du, Y.H., He, Z.C., Gu, M.L., Wang, Z.G. and Feng, R.
Targeted damage effects of high intensity focused ultrasound (HIFU) on liver tissues of Guizhou Province miniswine S181
Wang, Z.G., see Wang, Z.B. S181
Wang, Z.L., see Wang, Z.B. S181
Wang, D. and Sakakibara, M.
Lactose hydrolysis and β-galactosidase activity in sonicated fermentation with *Lactobacillus* strains S255
Wang, L. and Shen, J.
Scattering of elastic waves by a crack in a isotropic plate 451
Wang, L., Deng, J. and Shen, J.
A time-domain boundary element model for ultrasonic pulse echo 125
Wei, M., see Liu, Z. 325
Wheat, P.E. and Tumeo, M.A.
Ultrasound induced aqueous polycyclic aromatic hydrocarbon reactivity S55
Whillock, G.O.H. and Harvey, B.F.
Ultrasonically enhanced corrosion of 304L stainless steel. I: The effect of temperature and hydrostatic pressure S23
Whillock, G.O.H. and Harvey, B.F.
Ultrasonically enhanced corrosion of 304L stainless steel. II: The effect of frequency, acoustic power and horn to specimen distance S33
Wilcox, P.D., see Monkhouse, R.S.C. 489
Wilhelm, A.M., see Sochard, S. S77
Wu, F., see Wang, Z.B. S181
Wu, J., see Niederdränk, T. 195
Wu, J., see Oksanen, M. 205

Yamani, A., Bettayeb, M. and Ghouti, L.
High-order spectra-based deconvolution of ultrasonic NDT signals for defect identification 525
Yamani, A., see Kundu, T. 573
Yamani, A.
A novel defect identification scheme in ultrasonic nondestructive evaluation 251
Yang, M., see Schlaberg, H.I. 213
Yan, Z., Fang, Q., He, B., Huang, J. and Lin, Z.
The considerations and guides of the wattmeter method for

measuring output acoustical power of Langevin-type transducers – I: theory 533
Yan, Z., Fang, Q., Huang, J., He, B. and Lin, Z.
Considerations and guides of the wattmeter method for measuring output acoustical power of Langevin-type transducer systems – II: experiment 543
Yim, E.S., Park, M.K. and Han, B.H.
Ultrasound promoted N-alkylation of pyrrole using potassium superoxide as base in crown ether S95
Ying, C.F., see Zhang, P. 233
Yiyun, Z., see Ruo, F. S183
Zelenka, J.
The influence of electrodes on the frequency–temperature characteristics of rotated Y-cut quartz resonators 171
Zeqiri, B., see Hodnett, M. S273
Zhang, H. and Chimenti, D.E.
Ultrasonic beam reflection from lossy layered cylindrical shells 441
Zhang, P., Ying, C.F. and Shen, J.
Directivity patterns of laser thermoelastically generated ultrasound in metal with consideration of thermal conductivity 233
Zhang, Z., see Wang, Z.B. S181
Živković, M., see Pavlović, V. 87
Zou, J.Z., see Wang, Z.B. S181

ELSEVIER

Ultrasonics 35 (1998) 619–621

Ultrasonics

Subject Index to Ultrasonics Volume 35 and Ultrasonics–Sonochemistry Volume 4*

Acoustic, 73
Acoustic cavitation, S263
Acoustic cross-section, 407
Acoustic emission, 547
Acoustic field imaging, 595
Acoustic impedance, 53
Acoustic levitation, 459
Acoustic microscope, 357
Acoustic parameters measurement, 533
Acoustic power measurement, 543
Acoustic scattering, 407
Acoustic viscous force, 459
Acoustical resonances, 509
Acoustoelasticity, 605
Acousto-optics, 187, 499
Adaptive filtering, 325
Adhesion strength, 385
Air ultrasonics, 195, 205
Air-bubble, 57
Air-coupled, 179, 275, 587
Air-coupled ultrasound, 1
Alkenes, S109
γ-alumina, S321
Aluminum amalgam, S99
Anodic stripping voltammetry, S123
Aqueous solutions, S145, S229
Arnica, S135
AT-cut resonators, 171
Attenuation, S235

Biocidal action, S157
Biological focal field, S181
Boehmite, S321
Bond strength, 305
Bubble dynamics, S65, S77
Bubble fragmentation, 399
Bubble oscillation, 517
Bubble shape oscillations, 79
Bubbles, 399, 407, S61
Buffer rod, 335

Cadmium, S123
Camomile, S135
Capacitance transducer, 1, 587
Carbon disulfide, S49
Carbon tetrachloride, S245, S295
Cavitation, 399, S45, S61, S65, S121, S165, S217, S269, S273, S295
Cavitation threshold, 469
Ceramic, 65
Characterization, 317
Charge transfer, S117
China, S183
Chloride, S229
Chlorobenzene, S229
Chlorpromazine electro-oxidation, S9
Chrome tannage, S141
Clear water, 57
Coating, 431
Composite materials, 105, 367
Computation, 7
Concentration, 241
Copper carboxylate synthesis, S17
Corn cob xylan, S311
Corn hull xylan, S305
Corrosion, S23, S33
Crack, 451
Crack detection, 251, 573
Cross-correlation, 17
Crown ether, S95
Curing, 569
Cylinders, 441

Damping, 441
Decontamination, S153
Defect detection, 141
Defect identification, 251, 573
Defect impulse response, 525
Defect signature, 251, 573
Degradation, S245, S305, S311
2,4-dichlorophenol, S223
Die casting, 335
Dielectric relaxation, 317
Diffraction, 385
Dill, S135
Dimensional analysis, 115
Directivity patterns, 233
Disordered systems, S45
Dissociation, S49
Distance, S33
DNA oxidation, S125
Dynamic thermoelasticity, 115

Egg white catalysts, S317
Elastic wave scattering, 451
Elastography, 263
Electrochemistry, S117, S121
Electrodeposition, S39
Electromagnetic acoustic transducer (EMAT), 413
EMAT, 423
Embedded system, 87
Enantioselectivity, S301
Epoxy, 569
Erosion, S269
Essential oils, S135
Ethylbenzene, S145
Extraction, S131

Fennel, S135
Fiber-optic sensors, 297
Finite difference methods, 195, 205
Flaw echo, 325
Flow behaviour, S305
Flow regime, S235
Focusing transducer, 151
Fountain, S217
Fourier descriptors, 251, 573
Free radicals, S77
Frequency, S33, S49, S229
Frequency domain, 479
Frequency effect, S205
Frequency–temperature characteristics, 171
Fresnel zone-plate, 275, 587

β-galactosidase, S255
Gentian, S135
Grafted polymers, 287
Grinding, 547
Growth striations, 599
Guided waves, 441
Gypsum, S269

Henry reaction, S99
HIFU, S181
High frequency, S289
High intensity focused ultrasound, S175
High power fields, S273
High speed photography, S65
Highly scattering material, 325
High-order spectra, 525
High-order statistics, 525
Histrionicotoxin, S99
Hot spot, S77
Hydrogen peroxide, S295
Hydrogenation, S301
Hydrophone calibration, 297
Hydrophones, S273

*Ultrasonics–Sonochemistry page numbers start with 'S'.

Hydrothermal shrinkage temperature, S141
Hydroxyl radical, S295
Hydroxyl radicals, S165
Hyperthermia, S173

Imaging, 587
Immunological activity, S311
Indole, S95
Inhomogeneous material, 357
In-situ measurement, 65
Interface layers, 479
Interferometry, 297, 329, 569
Internal material anisotropy, 605
Internal stress, 141
Isotope effect, S205

Ketoester, S301
Ketones, S109
Kinetics, S145, S189, S195
Kissing bond, 251, 573
Kornblum reaction, S99

Lactobacillus strain, S255
Lactose hydrolysis, S255
Lamb modes, 141
Lamb waves, 105, 251, 423, 451, 489, 573, 581
Laminates, 141
Lap-joint, 1
Laser interferometer, 305, 423
Laser ultrasonics, 115, 233, 393, 553
Laser ultrasound, 105
Lasers, 345
Lead, S123
Leather making, S141
Light diffraction, 187, 499
Linear phased arrays, S173
Longitudinal waves, 553

Marigold, S135
Mass transfer, S117
Material characterization, 357
Maximum length sequences, 195, 205
Measurement, 263, S273
Mechanisms, S211
Membranes, 53
Metals, 179
Microelectrodes, S121
Micromachining, 275
Microstructure, 57
Milk fermentation, S255
Multilayered system, 287

N-alkylation, S95
NDE, 423
NDT, 31
Near-boundary acoustic streaming, 459
Neural network, 325, 547
Nitric acid, S195
Nitro reduction, S99
Nitrous acid, S195
Noncontact materials characterization, 413
Non-destructive evaluation, 1
Nondestructive measurement, 241
Non-destructive testing, 179
Nonspecular reflection, 441
Nucleosides, S125
Nucleotides, S125
Numerical simulation, 151

On-line process monitoring, 335
Optical dark-field method, 595
Optical fiber, 569
Oxidation, S289

PAHs, S55
Parallel processing, 7
Parametric resonance, 79
Particle collection, 131
P-chloranil, S1
Phase gradient method, 157
Phase modulation, 595
Phase velocity, 17
Phenol, S295
Photochemistry, S109
Photoelasticity, 7
Photoelectrochemistry, S223
Picosecond ultrasonic technique, 223
Piezocomposite transducers, 595
Piezoelectricity, 317
Pipe, 73
Plasma spraying, 431
Platinum catalysts, S301
Point source limits, 115
Polar reactions, S189
Polycyclic aromatic hydrocarbons, S55
Polymer degradation, S127
Porous media, 131
Porous structure, S321
Potassium superoxide, S95
Power, S33
Power ultrasonics, 533, 543
Preparation, S317
Pressure, S23
Primary structure, S305
Process technology, S141
Process tomography, 213
Progressive wave, 469
Propagation, 73
Prostate, S173, S175
Pulsed field, S263
Pulse-phase method, 87
Pulses in plates, 581
PVDF film, 489
Pyrrole, S95

Quality control, 345
Quartz plate vibration, 171
Quartz resonators, 171

Radiation force, 131
Radiation pressure, 595
Radical trapping, S165
Rayleigh waves, 357, 393, 431
Reaction products, S145
Reactive (consumable) anode, S17
Reactor, S289
Real-time imaging, 213
Rebound pressures, 399
Recycling, S39
Redox systems, S117
Reductive amination, S99
Reflection coefficient, 479
Resonance, 157
Resonance method, 413
Resonant ultrasound, 151
Review, S183

Sage, S135
Salvia officinalis, S131
Scanning acoustic microscope, 563
Scattering, 125, 157, 517
Second-harmonic superimposition, 469
Semiconductor single crystals, 599
Sensor, 569
Shock waves, S65
Simulations, 263
Single bubble cavitation, 517
Sintering, 65
Soil washing, S153
Solid particles, S235
Solid solubility, 241
Solid/liquid interfaces, S1
Solvation, S189
Sonication, S245
Sonobioelectrochemistry, S125
Sonochemical deceleration, S189
Sonochemical reaction, S95
Sonochemistry, S49, S109, S183, S205, S229, S289
Sonochemistry in solution, S211
Sonoelectroanalysis, S123
Sono-electrochemistry, S17
Sonoluminescence, 399, S61, S65, S85, S263
Sonolysis, S145
Sound absorption coefficient, 599
Split spectrum processing, 31
Statistical signal processing, 31
Stress measurement, 605
Subharmonic emission, 79
Surface acoustic waves, 345

Targeted damage, S181
Temperature, S23
Terephthalate dosimeter, S165
Thermal diffusion, 233
Thermal dipoles, 553
Thermal probes, S273
Thermodynamics, S85
Thermoelastic ultrasonic source, 393
Thermoelectric probe, S235
Thickness measurement, 345, 431, 509
Thin films, 223, 345
Time delay estimation, 263
Time variances, 195, 205
Time-domain boundary element, 125
Time-resolved thermal properties, 223
TiO_2, S223
Tissue ablation, S175
Trace metals, S123
Transducer design, 489
Transducers, 195, 205
Transducers – flexible, 489
Transducers – interdigital, 489
Transducers – polymeric, 489
Turbulence, 57

Ultrasonic, S49

Ultrasonic characterization, 509
Ultrasonic clutter, 31
Ultrasonic extraction, S135
Ultrasonic field investigation, 187
Ultrasonic field mapping, 499
Ultrasonic flowmeter, 87
Ultrasonic guided waves, 305
Ultrasonic imaging, 329
Ultrasonic irradiation, S141
Ultrasonic liquid processing, 533, 543
Ultrasonic microscopy in air, 563
Ultrasonic monitoring, 335
Ultrasonic motor, 459
Ultrasonic NDT, 195, 205, 367
Ultrasonic propagation, 287
Ultrasonic pulse echo, 125
Ultrasonic scattering, 57
Ultrasonic signal processing, 367
Ultrasonic signals deconvolution, 525
Ultrasonic speckle, 329
Ultrasonic transducer, 543
Ultrasonic spectroscopy, 367
Ultrasonic surface waves, 393
Ultrasonic techniques, 251, 573
Ultrasonic tomography, 213
Ultrasonic transducers, 213, 543
Ultrasonic velocity, 53, 65, 241
Ultrasonic vibrating electrode, S9
Ultrasonics, 357, 431, 569
Ultrasonic-standing-wave-atomization (USWA), 151
Ultrasound, 7, 73, 179, 263, 275, 423, 563, 587, S1, S23, S33, S39, S55, S99, S117, S121, S123, S125, S127, S131, S153, S157, S189, S195, S217, S223, S255, S289, S295, S301, S305, S311, S317
Ultrasound frequency, S127
Ultrasound intensity, S235
Ultrasound measurement, 297

Vibration velocity, 533
Viscoelastic properties, S305
Visualization, 7
Voltammetry, S9

Waste-water treatment, S295
Water treatment, S157
Wave generations, 553
Waveguide, 73, 385
Wavelets, 17

Xanthene dyes, 469
X-ray diffraction, S45